



**ELECTRIC  
SOUND**

premium brands & added value

**Electric Sound Benelux B.V.**

**The Netherlands**

Radiweg 5  
1324 KW Almere (NL)  
Tel. +31 (0)36 54 600 20  
Fax. +31 (0)36 54 600 29

**Belgium & Luxembourg**

Weihoeck 3, Unit 5  
1930 Zaventem (BE)  
Tel. +32 (0)2 788 73 00  
Fax. +32 (0)2 788 73 01

**BEYERDYNAMIC)))))  
OPUS 100-300-600-900 SERIES**

**LISTPRICING 19-04-2010**

			EURO		EURO	EURO
			EURO		EURO	EURO
art.nr.	ARTICLE		EURO	EURO	EURO	EURO
		<b>OPUS 100 MK II VHF WIRELESS MICROPHONE SYSTEMS FIXED FREQUENCIES 184,0 / 198,250 / 199,700 / 202,400 MC</b>	excl.BTW	incl.19% BTW	incl.21% BTW/TVA	incl.15% BTW/TVA
15414	OPUS 100 MK II	VHF true diversity wireless system, cpl. with NE 100 S, TS 100 Mk II and instrument cable MJ 41 G, pilot tone, fixed frequencies, incl. power supply and 9 V battery	196,43	234	238	226
15415	OPUS 150 MK II	VHF true diversity wireless system, cpl. with NE 100 S, TS 100 Mk II and lavalieri microphone MCE 55.18, pilot tone, fixed frequencies, incl. power supply and 9 V battery	231,09	275	280	266
15416	OPUS 155 MK II	VHF true diversity wireless system, cpl. with NE 100 S, TS 100 Mk II and neckworn microphone Opus 55.18 Mk II, pilot tone, fixed frequencies, incl. power supply and 9 V battery	300,42	358	364	345
15417	OPUS 168 MK II	VHF true diversity wireless system, cpl. with NE 100 S and dynamic handheld microphone SDM 168, pilot tone, fixed frequencies, incl. power supply, microphone clamp MD 20 and 9 V battery	196,43	234	238	226
15418	OPUS 180 MK II	VHF true diversity wireless system, cpl. with NE 100 S and condenser handheld microphone SEM 180, pilot tone, fixed frequencies, incl. power supply, microphone clamp MD 20 and 9 V battery	219,54	261	266	252
		<b>TRANSMITTERS RECEIVERS AND ACCESSORIES FOR OPUS 100 SERIES FIXED FREQUENCIES 184,0 / 198,250 / 199,700 / 202,400 MC</b>				
15458	SDM 168	VHF handheld transmitter (dynamic, supercardioid), pilot tone, battery low LED, fixed frequency	145,66	173	176	168
15639	SEM 180	VHF handheld transmitter (condenser, cardioid), pilot tone, battery low LED, fixed frequency	145,66	173	176	168
15781	TS 100 MK II	VHF pocket transmitter for Opus 100 Mk II wireless systems, pilot tone, plastic housing, 4-pin mini-XLR input connector, fixed frequency	116,52	139	141	134
15277	FB 11	Plastic rack-mount ears for 1 NE 100 S receiver (19"/1 U), 1 pair	19,43	23	24	22
15278	FB 12	Plastic rack-mount ears for 2 NE 100 S, 19"/1 U, 1 pair	19,43	23	24	22
	NE 100 S	Receiver NE 100 MK II (VHF) fixed frequency incl. power supply	98,54	117	119	113
15833	AD 20	VHF antenna divider for Opus 100 Mk II, 4-way, active, 19" housing, incl. TNC cable set and rackmount ears FB 30	368,99	439	446	424
15675	POWERSUPPLY NE 100S	Powersupply NE 100S MK II receivers	28,79	34	35	33
15563	ANTENNA NE 100 S	ontvangerantenne aanschroefbaar tbv NE 100 S serie (VHF)	9,96	12	12	11
		<b>OPUS 300 UHF WIRELESS MICROPHONE SYSTEMS MAXIMUM 16 FREQUENCIES PROGRAMMABLE</b>				
15264	OPUS 300 (CHAN) 63 #	UHF true diversity wireless system, cpl. with NE 300 S, TS 300 and instrument cable MJ 41 G, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	387,43	461	469	446
15577	OPUS 300 (CHAN) 69 #	UHF true diversity wireless system, cpl. with NE 300 S, TS 300 and instrument cable MJ 41 G, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	387,43	461	469	446
15265	OPUS 350 (CHAN) 63 #	UHF true diversity wireless system, cpl. with NE 300 S, TS 300 and MCE 60.18 lavalieri microphone, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	461,72	549	559	531
15578	OPUS 350 (CHAN) 69 #	UHF true diversity wireless system, cpl. with NE 300 S, TS 300 and MCE 60.18 lavalieri microphone, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	461,21	549	558	530
15266	OPUS 354 (CHAN) 63 #	UHF true diversity wireless system, cpl. with NE 300 S, TS 300 and Opus 54.18 neckworn microphone, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	498,12	593	603	573
15267	OPUS 369 (CHAN) 63 #	UHF true diversity wireless system, cpl. with NE 300 S and SDM 369, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	461,21	549	558	530
15582	OPUS 381 (CHAN) 69 #	UHF true diversity wireless system, cpl. with NE 300 S and SEM 381, PLL-synthesised, pilot tone, ACT/SCAN-function, 16 pre-programmed frequencies, incl. carrying case and external power supply	571,91	681	692	658
		<b>TRANSMITTERS OPUS 300 MK II SERIES</b>				
15347	SDM 369 (CHAN) 63 #	UHF handheld transmitter for Opus 300 wireless systems, Opus 69 capsule (dynamic, supercardioid), PLL-synthesised, pilot tone, plastic housing, ACT-function, battery low LED	252,47	300	305	290

15574	SDM 369 (CHAN) 69 #	UHF handheld transmitter for Opus 300 wireless systems, Opus 69 capsule (dynamic, supercardioid), PLL-synthesised, pilot tone, plastic housing, ACT-function, battery low LED	252,47	300	305	290
15355	SEM 381 (CHAN) 63 #	UHF handheld transmitter for Opus 300 wireless systems, Opus 81 capsule (condenser, cardioid), PLL-synthesised, pilot tone, plastic housing, ACT-function, battery low LED	368,99	439	446	424
15350	TS 300 (CHAN) 63 #	UHF pocket transmitter for Opus 300 wireless systems, PLL-synthesised, pilot tone, plastic housing, ACT-function, battery low LED	174,78	208	211	201
15575	TS 300 (CHAN) 69 #	UHF pocket transmitter for Opus 300 wireless systems, PLL-synthesised, pilot tone, plastic housing, ACT-function, battery low LED	174,78	208	211	201
		<b>OPUS 600 UHF WIRELESS MICROPHONE SYSTEMS MAXIMUM 16 FREQUENCIES PROGRAMMABLE</b>				
15794	OPUS 600T (CHAN)59	UHF true diversity wireless system, cpl. with NE 600 S and TS 600, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	415,97	495	503	478
15795	OPUS 600T (CHAN) 63	UHF true diversity wireless system, cpl. with NE 600 S and TS 600, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	415,97	495	503	478
15796	OPUS 600T (CHAN) 69	UHF true diversity wireless system, cpl. with NE 600 S and TS 600, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	415,97	495	503	478
15797	OPUS 650 (CHAN) 59	UHF true diversity wireless system, cpl. with NE 600 S and TS 600 and MCE 60.18 lavalier microphone, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	524,58	624	635	603
15798	OPUS 650 (CHAN) 63	UHF true diversity wireless system, cpl. with NE 600 S and TS 600 and MCE 60.18 lavalier microphone, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	524,58	624	635	603
15799	OPUS 650 (CHAN) 69	UHF true diversity wireless system, cpl. with NE 600 S and TS 600 and MCE 60.18 lavalier microphone, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	524,58	624	635	603
15800	OPUS 654 (CHAN) 59	UHF true diversity wireless system, cpl. with NE 600 S and TS 600 and Opus 54.18 neckworn microphone, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	524,58	624	635	603
15801	OPUS 654 (CHAN) 63	UHF true diversity wireless system, cpl. with NE 600 S and TS 600 and Opus 54.18 neckworn microphone, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	524,58	624	635	603
15802	OPUS 654 (CHAN) 69	UHF true diversity wireless system, cpl. with NE 600 S and TS 600 and Opus 54.18 neckworn microphone, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets and switching power supply	524,58	624	635	603
15803	OPUS 660 (CHAN) 59	UHF true diversity wireless system, cpl. with NE 600 S and SDM 660, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	519,96	619	629	598
15804	OPUS 660 (CHAN) 63	UHF true diversity wireless system, cpl. with NE 600 S and SDM 660, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	519,96	619	629	598
15805	OPUS 660 (CHAN) 69	UHF true diversity wireless system, cpl. with NE 600 S and SDM 660, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	519,96	619	629	598
15806	OPUS 669 (CHAN) 59	UHF true diversity wireless system, cpl. with NE 600 S and SDM 669, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	485,29	578	587	558
15807	OPUS 669 (CHAN) 63	UHF true diversity wireless system, cpl. with NE 600 S and SDM 669, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	485,29	578	587	558
15808	OPUS 669 (CHAN) 69	UHF true diversity wireless system, cpl. with NE 600 S and SDM 669, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	485,29	578	587	558
15809	OPUS 681 (CHAN) 59	UHF true diversity wireless system, cpl. with NE 600 S and SEM 681, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	589,29	701	713	678
15810	OPUS 681 (CHAN) 63	UHF true diversity wireless system, cpl. with NE 600 S and SEM 681, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	589,29	701	713	678
15811	OPUS 681 (CHAN) 69	UHF true diversity wireless system, cpl. with NE 600 S and SEM 681, PLL, pilot tone, ACT/SCAN-function, 16 programmed frequencies, incl. softcase, batteries, rack mount brackets, MKV 11 and switching power supply	589,29	701	713	678
		<b>RECEIVERS OPUS 600 MK II SERIES</b>				

15812	NE 600 S (CHAN) 59	UHF true diversity receiver, PLL-synthesised, pilot tone, 1-channel, 9,5" metal housing, LED-display, ACT/SCAN-function, 16 pre-programmed frequencies, incl. rack mount brackets, external switching power supply	288,87	344	350	332
15813	NE 600 S (CHAN) 63	UHF true diversity receiver, PLL-synthesised, pilot tone, 1-channel, 9,5" metal housing, LED-display, ACT/SCAN-function, 16 pre-programmed frequencies, incl. rack mount brackets, external switching power supply	288,87	344	350	332
15814	NE 600 S (CHAN) 69	UHF true diversity receiver, PLL-synthesised, pilot tone, 1-channel, 9,5" metal housing, LED-display, ACT/SCAN-function, 16 pre-programmed frequencies, incl. rack mount brackets, external switching power supply	288,87	344	350	332
15815	NE 600 D (CHAN) 59	UHF true diversity receiver, PLL-synthesised, pilot tone, 2-channel, 19" metal housing, LED-display, ACT/SCAN-function, 16 pre-programmed frequencies, incl. rack mount brackets, FB 30, external switching power supply	526,89	627	638	606
15816	NE 600 D (CHAN) 63	UHF true diversity receiver, PLL-synthesised, pilot tone, 2-channel, 19" metal housing, LED-display, ACT/SCAN-function, 16 pre-programmed frequencies, incl. rack mount brackets, FB 30, external switching power supply	526,89	627	638	606
15817	NE 600 D (CHAN) 69	UHF true diversity receiver, PLL-synthesised, pilot tone, 2-channel, 19" metal housing, LED-display, ACT/SCAN-function, 16 pre-programmed frequencies, incl. rack mount brackets, FB 30, external switching power supply	526,89	627	638	606
		<b>TRANSMITTERS OPUS 600 MK II SERIES</b>				
15818	S 600 (CHAN) 59	UHF handheld transmitter for Opus 600, without capsule, plastic, battery low LED, ACT-function, incl. 2 x AA batteries	161,76	193	196	186
15819	S 600 (CHAN) 63	UHF handheld transmitter for Opus 600, without capsule, plastic, battery low LED, ACT-function, incl. 2 x AA batteries	161,76	193	196	186
15820	S 600 (CHAN) 69	UHF handheld transmitter for Opus 600, without capsule, plastic, battery low LED, ACT-function, incl. 2 x AA batteries	161,76	193	196	186
15821	TS 600 (CHAN) 59	UHF pocket transmitter for Opus 600, PLL, pilot tone, UHF pocket transmitter for Opus 600, PLL, pilot tone, plastic housing, battery low LED, ACT-function, 2 x AA batteries	198,74	237	240	229
15822	TS 600 (CHAN) 63	UHF pocket transmitter for Opus 600, PLL, pilot tone, UHF pocket transmitter for Opus 600, PLL, pilot tone, plastic housing, battery low LED, ACT-function, 2 x AA batteries	198,74	237	240	229
15823	TS 600 (CHAN) 69	UHF pocket transmitter for Opus 600, PLL, pilot tone, UHF pocket transmitter for Opus 600, PLL, pilot tone, plastic housing, battery low LED, ACT-function, 2 x AA batteries	198,74	237	240	229
		<b>RECEIVERS OPUS 900 SERIES</b>				
15613	NE 900 Q (CHAN 63)	UHF true diversity receiver, 4-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears	1.686,97	2.008	2.041	1.940
15755	NE 900 Q (CHAN 59)	UHF true diversity receiver, 4-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears	1.686,97	2.008	2.041	1.940
15618	NE 900 Q (CHAN 69)	UHF true diversity receiver, 4-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears	1.686,97	2.008	2.041	1.940
15648	NE 900 D (CHAN 63)	UHF true diversity receiver, 2-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears	993,70	1.183	1.202	1.143
15756	NE 900 D (CHAN 59)	UHF true diversity receiver, 2-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears	993,70	1.183	1.202	1.143
15726	NE 900 D (CHAN 69)	UHF true diversity receiver, 2-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears	993,70	1.183	1.202	1.143
	NE 900 D COBRANET (CHAN 59)	UHF true diversity receiver, 2-ch., 19" metal housing, 1 U, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears en Cobranet™ aansluiting	1.941,18	2.310	2.349	2.232
15698	NE 900 S (CHAN 63)	UHF true diversity receiver, 1-ch., 1/2-19" metal housing, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears and antenna front cables	582,35	693	705	670
15753	NE 900 S (CHAN 59)	UHF true diversity receiver, 1-ch., 1/2-19" metal housing, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears and antenna front cables	582,35	693	705	670
15752	NE 900 S (CHAN 69)	UHF true diversity receiver, 1-ch., 1/2-19" metal housing, PLL-synthesised, color-LC-Display, ACT/SCAN-function, PC controllable, 16 compatible frequencies, incl. rack mount ears and antenna front cables	582,35	693	705	670
		<b>POCKET TRANSMITTERS OPUS 900 SERIE</b>				
15614	TS 900 M CHAN 63	UHF pocket transmitter for Opus 900 wireless systems, PLL-synthesised, metal housing, LC-Display, 4-pin mini-XLR input connector, ACT-function	404,41	481	489	465
15757	TS 900 M (KAN 59)	UHF pocket transmitter for Opus 900 wireless systems, PLL-synthesised, metal housing, LC-Display, 4-pin mini-XLR input connector, ACT-function	404,41	481	489	465
15619	TS 900 M (CHAN 69)	UHF pocket transmitter for Opus 900 wireless systems, PLL-synthesised, metal housing, LC-Display, 4-pin mini-XLR input connector, ACT-function	404,41	481	489	465

15624	TS 900 C (CHAN 63)	UHF pocket transmitter for Opus 900 wireless systems, PLL-synthesised, plastic housing, LC-Display, 4-pin mini-XLR input connector, ACT-function, with charging contacts and alkaline battery	244,96	292	296	282
15732	TS 900 C (CHAN 59)	UHF pocket transmitter for Opus 900 wireless systems, PLL-synthesised, plastic housing, LC-Display, 4-pin mini-XLR input connector, ACT-function, with charging contacts and alkaline battery	244,96	292	296	282
15625	TS 900 C (CHAN 69)	UHF pocket transmitter for Opus 900 wireless systems, PLL-synthesised, plastic housing, LC-Display, 4-pin mini-XLR input connector, ACT-function, with charging contacts and alkaline battery	244,96	292	296	282
		<b>HANDHELD TRANSMITTERS OPUS 900 SERIE</b>				
15620	S 900 M (CHAN) 63	UHF handheld transmitter for Opus 900, without capsule, metal, LC-Display, ACT-function	272,69	325	330	314
15758	S 900 M (CHAN) 59	UHF handheld transmitter for Opus 900, without capsule, metal, LC-Display, ACT-function	272,69	325	330	314
15621	S 900 M (CHAN) 69	UHF handheld transmitter for Opus 900, without capsule, metal, LC-Display, ACT-function	272,69	325	330	314
15693	S 900 P (CHAN) 63	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function	184,87	220	224	213
15760	S 900 P (CHAN) 59	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function	184,87	220	224	213
15761	S 900 P (CHAN) 69	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function	184,87	220	224	213
15623	S 900 (CHAN) 69 #	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function	184,87	220	224	213
15748	S 900 C (CHAN) 63	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function, with charging contacts including rechargeable accupack 2500 mAh	207,98	248	252	239
15759	S 900 C (CHAN) 59	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function, with charging contacts including rechargeable accupack 2500 mAh	207,98	248	252	239
15741	S 900 C (CHAN) 69	UHF handheld transmitter for Opus 900, without capsule, plastic, LC-Display, ACT-function, with charging contacts including rechargeable accupack 2500 mAh	207,98	248	252	239
		<b>CAPSULES HANDHELD TRANSMITTERS OPUS 600 EN 900 SERIE</b>				
15626	CM 930 B	TG-X 930 changeable capsule (true condenser, cardioid), black, only for handheld transmitter S 900 P, S 900 M, S 900 C	506,09	602	612	582
	CM 930 S	TG-X 930 changeable capsule (true condenser, cardioid), silver, only for handheld transmitter S 900 P, S 900 M, S 900 C	506,09	602	612	582
15627	DM 960 B	TG-X 60 changeable capsule (dynamic, hypercardioid), black, for handheld transmitter S 600, S 900 P, S 900 M, S 900 C	265,76	316	322	306
15871	DM 960 S	TG-X 60 changeable capsule (dynamic, hypercardioid), silver, for handheld transmitter S 600, S 900 P, S 900 M, S 900 C	265,76	316	322	306
15629	DM 969 S	Opus 69 changeable capsule (dynamic, supercardioid), silver, for handheld transmitter S 600, S 900 P, S 900 M, S 900 C	161,76	193	196	186
15628	EM 981 S	Opus 81 changeable capsule (condenser, cardioid), silver, for handheld transmitter S 600, S 900 P, S 900 M, S 900 C	288,87	344	350	332
		<b>ACCESSOIRES OPUS 300/600/900 MK II SERIES</b>				
15740	AD 90 A 600-960 MC	UHF wideband high power amplifier, incl. TNC-TNC cable 40 cm (16"), 1 piece, 600-960 MHz. Note: Before using the product, please make sure that it complies with the national approval regulations!	582,58	693	705	670
	AD 90 S 600-960 MC	UHF wideband high power 4-channel splitter, incl. TNC-TNC cable, 600-960 MHz	679,69	809	822	782
15241	AT 70 A/B	UHF antenna set for Opus 900, Opus 800, Opus 500 Mk II and Opus 300 wireless systems, cpl. with 2 x TNC booster AT 70 B, 2 x TNC antenna AT 70 (incl. 5/8" to 3/8" adapters) and 2 x mounting kit MS 10	242,74	289	294	279
15449	AD 707 A = AT 70 B	TNC antenna booster UHF for Opus 900, Opus 800, Opus 500 Mk II and Opus 300 wireless systems	58,26	69	70	67
15520	MS 10	Mounting kit for 1 groundplane antenna AT 70	9,71	12	12	11
	AT 90 600-100 MC	UHF unidirectional wideband antenna, for Opus wireless systems and in-ear systems and TTS 300 (600-1000 MHz), active and passive connector, 1 piece	233,03	277	282	268
15323	AVK 800/1 TNC(M) AC 7	Antenna cable TNC male - TNC male, length 1 m (3 ft.), low attenuation, Aircell 7 cable, for Opus 300, Opus 500 Mk II, Opus 800, Opus 900 wireless systems. CT 316, SE 900 and AD 808	67,96	81	82	78
15324	AVK 800/3 TNC(M) AC 7	Antenna cable TNC male - TNC male, length 3 m (10 ft.), low attenuation, Aircell 7 cable, for Opus 300, Opus 500 Mk II, Opus 800, Opus 900 wireless systems. CT 316, SE 900 and AD 808	77,69	92	94	89
15325	AVK 800/10 TNC(M) AC 7	Antenna cable TNC male - TNC male, length 10 m (33 ft.), low attenuation, Aircell 7 cable, for Opus 300, Opus 500 Mk II, Opus 800, Opus 900 wireless systems. CT 316, SE 900 and AD 808	97,11	116	117	112
15326	AVK 800/25 TNC(M) AC 7	Antenna cable TNC male - TNC male, length 25 m (82 ft.), low attenuation, Aircell 7 cable, for Opus 300, Opus 500 Mk II, Opus 800, Opus 900 wireless systems. CT 316, SE 900 and AD 808	145,66	173	176	168
	ZAA BNC(F)-TNC(M)	Antenna adapter BNC(female) on TNC(male)	13,01	15	16	15
	ZAA TNC(F)-BNC(M)	Antenna adapter for Opus 900, 800, 500 Mk II and 300 wireless systems	7,76	9	9	9
15351	CB 10	Carrying bag (leather) for TS 100 Mk II, TS 300, TS 800(M) and TS 900 C(M)	9,71	12	12	11
15243	FB 30	Antenna panel for front mounting of 1 ZAS 800 antenna divider 19"/1 U, incl. TNC-cables, 1 pair	38,85	46	47	45
15279	FB 71	Metal rack-mount ears for 1 9,5"-receiver NE 900 S, NE 500 S or NE 300 S, 1 transmitter SE 900, 1 antenna combiner AD 808 or splitter AD 90 S/A in 19"/1 U, 1 pair	38,85	46	47	45
15280	FB 72	Metal rack-mount ears for 2 receivers NE 900 S, NE 500 S or NE 300 S, 2 transmitters SE 900, 2 antenna combiners AD 808 or 1 receiver NE 500 D or NE 300 D in 19"/1 U, 1 pair	24,26	29	29	28

15244	FBC 71	Cable rear-to-front for all ACT receivers, NE 500 S or NE 500 D, Opus 800 MF, AD 808, ZAS 800 and SE 900 (1 pair), incl. TNC-TNC female adapter	24,29	29	29	28
15242	MJ 41 G	Instrument cable with 1/4" jack / 4-pin mini-XLR for TS 100 Mk II, TS 300, TS 800(M) and TS 900 C(M), length 120 cm (4 ft.)	24,29	29	29	28
15683	MKV N(CF)-TA4F	Adapter cable to connect wired microphones to pocket transmitter with 4-pin mini-XLR connector, 1.5 m (5 ft.)	36,91	44	45	42
15739	OPUS 900 RJ 11 CABLE	RJ 11 connecting cable to connect the Opus 900 software to Opus 900 USB adapter, 1.5 m (5 ft.)	9,71	12	12	11
	OPUS RS-485 ADAPTER	Cable RG-11 on 9-pin Sub-D female for connection Opus 900 to RS-485	95,16	113	115	109
15750	OPUS 900 USB ADAPTER	RJ 11 / USB adapter to connect the Opus 900 software to a PC or notebook (for Windows 2000, XP and Vista)	87,40	104	106	101
15469	RH 77	Colour rings for plastic shafts and handhelds of Opus 900, 800, 500 Mk II and 300 series (1 set = 10 rings of different colours)	29,14	35	35	34
15468	RH 77 M	Coloured protection caps for metal handheld transmitters (1 set = 10 pieces of different colours)	29,14	35	35	34
15737	SLG 900	NiMH Battery charging unit for 2 handheld or bodypack transmitter of the Opus 900 serie	280,62	334	340	323
15777	TS 900 AP	Accupack for pockettransmitter TS 900 C models	60,08	72	73	69
15738	SOFTWARE CD-ROM OPUS 900	controlsoftware on CD-ROM for OPUS 900	77,69	92	94	89
15742	T-BAG TRANSMITTERS	Transport bag for wireless transmitters, with space for up to 2 handheld transmitters with microphone clamps or up to 2 pocket transmitters, interchangeable microphone capsules, lavalier- and neckworn microphones and other accessories	29,14	35	35	34
15307	ZAS 800 KAN 59	UHF antenna divider 774-798 Mc, 4-way, active, 19" housing, 1 U, for OPUS 300/500/800/900, incl. TNC cable set and rackmount ears FB 30	582,58	693	705	670
15778	ZAS 800/OPUS 900 KAN 63	UHF antenna divider 790-814 Mc, 4-way, active, 19" housing, 1 U, for OPUS 900, incl. TNC cable set and rackmount ears FB 30	582,58	693	705	670
15779	ZAS 800/OPUS 900 KAN 69	UHF antenna divider 841-865 Mc, 4-way, active, 19" housing, 1 U, for OPUS 900, incl. TNC cable set and rackmount ears FB 30	582,58	693	705	670
	OPUS BAG NEW	Transport bag for all 9,5"OPUS receivers with space for hand-held transmitter and/or pocket transmitter, power supply, neckworn microphone, batteries, microphone clamp, rack-mount brackets and other accessories	55,46	66	67	64
15382	POWER SUPPLY NE 300/500/600/900S	Power supply for NE 300S/NE 500S/NE 600S/NE 900S MK II receivers	63,55	76	77	73
15352	ANTENNA NE 300/500/600/900S	Antenna for NE 300 S / NE 500 S / NE 600 S / NE 900 S receivers en 800 series	8,55	10	10	10
		<b>IN EAR MONITOR SYSTEM</b>				
15462	SE 900 (CHAN) 63	UHF stereo transmitter, 1/2-19" metal housing, pilot tone, PLL-synthesised, 16 pre-programmed frequencies, stereo-mono, LCD, integrated limiter, XLR-1/4" combo sockets, 1/4" monitoring headphone out, incl. rack mount ears	534,03	635	646	614
15463	TE 900 (CHAN) 63	UHF stereo diversity pocket receiver for IMS 900, PLL-synthesised, pilot tone, metal housing, LED display, 16 pre-programmed frequencies, stereo-mono, limiter, stereo mini-jack	563,17	670	681	648
		<b>ACCESSORIES FOR 900 IN EAR SYSTEM</b>				
15499	AD 808	UHF 4-channel active antenna combiner, 1/2-19", (covers 600-900 MHz range), incl. TNC-TNC cables	631,14	751	764	726
	E 8-P PROFESSIONAL	Professional IEM earphone, beige, cable 1.5 m (5 ft.), stereo mini-jack, 1 pair	213,62	254	258	246
15749	E 8-S PREMIUM	Premium IEM earphone, beige, cable 1.5 m (5 ft.), stereo mini-jack, 1 pair	67,96	81	82	78
		Further accessories for IMS 900 please refer to accessories for wireless microphone systems.				