



premium brands & added value

Electric Sound Benelux B.V.
The Netherlands Radioweg 5
 1324 KW Almere (NL)
 Tel. +31 (0)36 54 600 20
 Fax. +31 (0)36 54 600 29
Belgium & Luxembourg Weihoek 3, Unit 5
 1930 Zaventem (BE)
 Tel. +32 (0)2 788 73 00
 Fax. +32 (0)2 788 73 01

DYNACORD PRO AUDIO

LISTPRICING 1-6-2010

CONTROLLER / DIGITAL AUDIO MATRIX

DESCRIPTION

	NEDERLAND	BELGIE	LUXEMBURG
	NEDERLAND	BELGIE	LUXEMBURG
	EURO	EURO	EURO
	excl.BTW	incl.19% BTW	incl.15% BTW/TVA
		incl.21% BTW/TVA	incl.15% BTW/TVA

DIGITAL SIGNAL MATRIX/PROCESSOR

13673	P 64	digital signal processing central unit, 4 slots for local audio- in- and outputs, 1 CobraNet-module slot	2.000,00	2.380	2.420	2.300
	P 64-1500	digital signal processing central unit, 4 slots for local audio- in- and outputs, 1 CobraNet-module slot 1500 MPS	3.500,00	4.165	4.235	4.025
13674	AI-1	analog 8 channel line level input module	750,00	893	908	863
13728	MIC-1	analog 8-channel mic/line input module with programmable pre amp. and phantom power	890,00	1.059	1.077	1.024
13675	AO-1	analog 8 channel line level output module	600,00	714	726	690
	DI-1	digital 8-channel AES / EBU input module	700,00	833	847	805
	DO-1	digital 8-channel AES / EBU output module	300,00	357	363	345
13768	DSP-1	DSP-extension module, extends P64 with additional 300 MIPS DSP computing power	350,00	417	424	403
13729	CM-1	CobraNet module for up to 32 digital input- and 32 digital output channels	989,92	1.178	1.198	1.138
		<u>SYSTEM COMPONENTS FOR 19" RACKMOUNT</u>				
13559	DCS 400	Mounting frame 19" for DCS modules (10 modules)	321,05	382	388	369
13795	DCS 801 R	Controller module CAN	270,53	322	327	311
13598	DCS 401 R	Controller module RS 485	251,58	299	304	289
13678	DCS 405 R	Extention module	80,00	95	97	92
	CABLE 4 PIN	Connection cable 2 mtr	3,05	4	4	4
	CABLE 10 PIN	Connection cable 2 mtr	4,11	5	5	5
13679	CABLE 12 PIN	Connection cable 2 mtr	5,16	6	6	6
13592	DCS 406 R	Shield module	53,68	64	65	62
	DCS 407 R	LF relay module external control (4 relay)	162,11	193	196	186
13599	DCS 408 R	Lines relay module (5 relay)	146,32	174	177	168
13621	DCS 409 R	LF relay module external control (5 relay)	148,42	177	180	171
13618	DCS 412 R	Logic input module (12 inputs)	177,89	212	215	205
13620	DCS 416 R	Analog I/O module 0.....10Volt (8 in / 8 outputs)	231,58	276	280	266

MIXER-AMPLIFIERS

CPA 2000 COMPACT PAGING SYSTEM

13257	CPA 2000	Compact all-in-one electro acoustic control system, internal amplifier with 200 W nominal output capacity, 5 integrated output zones, individually switchable and controllable, priority control function, 3 inputs XLR Mic/Line with gain setter, electr. balanced, phantom power, 3 inputs for connection of line-level equipment, switchable, with sound control, ground fault and pilot tone monitoring, mains and emergency power supply: mains operation mode 115 / 230 V and 24 V input for batttery connection	1.392,63	1.657	1.685	1.602
	90139	pre-amplifier AUX balanced, 155mV	54,74	65	66	63
13260	90212	alarm / chime	85,26	101	103	98
13285	90213	message recorder 1min.	100,00	119	121	115
13286	90170	voice switch	52,63	63	64	61
	90178	remote volume control	92,63	110	112	107
13276	90214	19" mounting kit	21,58	26	26	25

PAGING STATIONS

13427	MT 101	Compact paging station, Dynamic gooseneck microphone, Push-button and LED display, Connection cable, 3 m / 7 pole	284,21	338	344	327
	EXTRA KABEL MT 101/MTR		3,68	4	4	4
13258	MT 2005	Microphone paging station for compact system CPA 2000 (5 push buttons), Connection of up to 3 MT terminals simultaneously, Cardioid polar pattern and an integrated pop-filter, Status LEDs for all buttons, Covered alarm key	505,26	601	611	581

MIXING AMPLIFIERS INCL. 19" RACK KIT

13279	MV 503	mixing amplifier, 100 V transformer 30 W / 100 V / 4 ohms	234,74	279	284	270
13280	MV 506	mixing amplifier, 100 V transformer 60 W / 100 V / 4 ohms	262,11	312	317	301

13281	MV 512	mixing amplifier, 100 V transformer 120 W / 100 V / 4 ohms	281,05	334	340	323
		<u>INBOUWVERSTERKER & ACCESSOIRES</u>				
13409	UV 300	2-channel universal mic/aux mixing pre-amplifier for microphones and AF sources for flush-mounting, XLR socket on front panel for mics (phantom power internally switchable) cinch socket for audio sources, separate control level setters for each channel (volume, bass, treble), switchable to mixed mode, automatic damping of the line signals via the mic signal or to off.	204,21	243	247	235
13634	90189	output transformer, line balanced	40,53	48	49	47
	90230	built-in button / switch	44,21	53	53	51
13637	INBOUWDOOS UV 300	back-box flush wall mounted UV 300	8,21	10	10	9
		<u>TOUCH PANELS</u>				
	TPI 5 NEW	touch panel 57" for wall- or surface mounting	1.420,00	1.690	1.718	1.633
13676	TPI-8	touch panel 8" for wall- or surface mounting	2.210,53	2.631	2.675	2.542
13784	TPI-12	touch panel 12" for wall-or surface mounting	2.842,11	3.382	3.439	3.268
13677	WM TPI-8	wallmount frame for TPI-8	81,38	97	98	94
13785	WM TPI-12	wallmount frame for TPI-12	87,57	104	106	101
		<u>POWER AMPLIFIERS</u>				
		<u>DSA SERIES HIGH EFFICENCY AMPS, DUAL-CHANNEL ANALOG</u>				
13714	DSA 8204	High-Efficiency, Class A/B Power Amplifier 2 x 450 W/4ohm 2 HE, with remote option via RCM 810	495,36	589	599	570
13715	DSA 8206	High-Efficiency, Class-H Amplifier 2 x 600 W/4ohm 2 HE, with remote option via RCM 810	583,81	695	706	671
13716	DSA 8209	High-Efficiency, Class-H Amplifier 2 x 900 W/4ohm 2 HE, with remote option via RCM 810	707,65	842	856	814
13717	DSA 8212	High-Efficiency, Class-H Amplifier 2 x 1200 W/4ohm 2 HE, with remote option via RCM 810	884,57	1.053	1.070	1.017
		<u>DSA SERIES HIGH EFFICENCY AMPS, MULTI-CHANNEL DIGITAL</u>				
13718	DSA 8405	High-Efficiency, Class-D Amplifier 4 x 500 W/4ohm 2 HE, with remote option via RCM 810 and VLD (Variable Load Detection) system	1.552,94	1.848	1.879	1.786
13719	DSA 8410	High-Efficiency, Class-D Amplifier 4 x 1000 W/4ohm 2 HE, with remote option via RCM 810 and VLD (Variable Load Detection) system	1.989,92	2.368	2.408	2.288
13720	DSA 8805	High-Efficiency, Class-D Amplifier 8 x 500 W/4ohm 2 HE, with remote option via RCM 810 and VLD (Variable Load Detection) system	2.250,42	2.678	2.723	2.588
13721	RCM 810	IRIS Net remote module for DSA-Series	207,87	247	252	239
	RMK 15	Rackmountkit for SL and DSA series amp's	55,79	66	68	64
		<u>PARAMUS CONTRACTOR LINE</u>				
13584	PCL 1125 T	power amplifier 1 X 250 W/100Volt / phoenix style connectors	378,59	451	458	435
13582	PCL 1240 T	power amplifier 2 X 400 W/100Volt / phoenix style connectors	676,69	805	819	778
13583	PCL 1225 T	power amplifier 2 X 250 W/100 volt / phoenix style connectors	521,89	621	631	600
13580	PCL 1245	power amplifier 2 X 450 W/4ohm 2 HE / phoenix style connectors	446,71	532	541	514
13581	PCL 1415	power amplifier 4 X 150 W/4ohm 2 HE / phoenix style connectors	521,89	621	631	600
		<u>SWITCHMODE PERCISION SERIES</u>				
13566	LX 1600	High-Efficiency, Class-H, SMPS 2x 800 W	1.218,49	1.450	1.474	1.401
13477	LX 2200	High-Efficiency, Class-H, SMPS 2x 1100 W	1.470,59	1.750	1.779	1.691
13567	LX 3000	High-Efficiency, Class-H, SMPS 2x 1500 W	1.840,34	2.190	2.227	2.116
		<u>POWER-H SERIES</u>				
13568	H 2500	Remote controllable High-End 3-stage Class-H Grounded Bridge with SMPS, (Switch Mode Power Supply) Power Amp, 2x 1450 W	3.016,81	3.590	3.650	3.469
13569	H 5000	Remote controllable High-End 3-stage Class-H Grounded Bridge with SMPS, (Switch Mode Power Supply) Power Amp, 2x 2500 W	3.655,46	4.350	4.423	4.204
13570	RCM 26	IRIS-NET Remote-Module for H-Series DSP, AES / EBU 96 kHz	703,23	837	851	809
		<u>ACCESSORIES AMPS</u>				
	RMS15-CL	Rack Mount Kit for CL, LX and Xa 4000, Lenght 15,5"	18,58	22	22	21
	RMS18-CL	Rack Mount Kit for CL, LX and Xa 4000, Lenght 18"	18,58	22	22	21
13478	90268	LPN + Lo-Cut Filter for CL and LX Amps	78,73	94	95	91
13629	UCC-1	USB-CAN Converter, incl. 19" Panel	716,49	853	867	824
		<u>SPEAKER CABINETS</u>				
		<u>MEDIA CEILING LOUDSPEAKERS</u>				
13666	MC 4.2	2-way ceiling speaker package, 4" coax 30, 15, 7.5, 3.75 W / 100 V	92,88	111	112	107
13667	MC 8.2	2-way ceiling speaker package, 8" coax 30, 15, 7.5, 3.75 W / 100 V	114,99	137	139	132
13668	MC 8.2 FC	2-way ceiling speaker package, 8" coax, lower installation depth than MC8.2-version 30, 15, 7.5, 3.75 W / 100 V	114,99	137	139	132

13669	MC 10.1	10" sub woofer 100 W (8 ohms) 60, 30, 15 W / 100 V	165,86	197	201	191
13722	MCW 4.2	4" coax, 75 W (8 ohms), 130°, without back can 30, 15, 7.5, 3.75 W / 100 V	92,88	111	112	107
13708	MCW 8.2	8" coax, 100 W (8 ohms), 110°, without back can 30, 15, 7.5, 3.75 W / 100 V	114,99	137	139	132
		<u>CEILING LOUDSPEAKER FOR HIGH ROOMS</u>				
	HCS 8	ceiling loudspeaker 8" Co-axial 2-way 30W with conical horn 90x90°	400,00	476	484	460
		front grill HCS 8	22,11	26	27	25
13765	HCS 12	ceiling loudspeaker 12" Co-axial 2-way30W with conical horn 90x90°	524,21	624	634	603
		front grill HCS 12	30,00	36	36	35
	HCS 8R	ceiling loudspeaker 8" Co-axial 2-way 30W with conical 90x90°, weatherproff with grill	460,00	547	557	529
	HCS 12R	ceiling loudspeaker 12" Co-axial 2-way 30W with conical horn 90x90°, weatherproff with grill	584,21	695	707	672
	DL 400	co-axial 8" 2-way high performance system	278,95	332	338	321
		<u>CEILING LOUDSPEAKER</u>				
13154	DL 70 W *	ceiling loudspeaker white	35,79	43	43	41
13296	DL 72 W *	ceiling loudspeaker 100V/6W	37,89	45	46	44
13340	DL 72/32 A	ceiling loudspeaker (spring mounted)	155,79	185	189	179
13672	DL 86* #	ceiling loudspeaker (new model, minimal order per 10 stuks)	14,89	18	18	17
13689	DL 94 A *	ceiling loudspeaker (spring mounted), white metal	17,89	21	22	21
13692	DL 96 A *	ceiling loudspeaker (spring mounted) white metal	18,95	23	23	22
13690	FD 94 A *	fire protection cover DL 94 A	7,79	9	9	9
13693	FD 96 A *	fire protection cover DL 96 A	9,26	11	11	11
	DL 94 B *	ceiling loudspeaker white , british standard	30,74	37	37	35
13739	DL 96 B *	ceiling loudspeaker white , british standard	33,47	40	41	38
	DL 94 C *	ceiling speaker, spring-mount, white, metal, ceramic clamp, thermal fuse	23,16	28	28	27
	DL 96 C *	ceiling speaker, spring-mount, white, metal, ceramic clamp, thermal fuse	24,74	29	30	28
	PL 70 W *	ceiling loudspeaker	43,47	52	53	50
13649	SL 70 *	ceiling loudspeaker	42,95	51	52	49
	KL 72+	spherical speaker	161,05	192	195	185
	DL 98 B	ceiling speaker, spring-mount, white, metal	79,48	95	96	91
13662	DT 96 COVER #	fire protetion cover for DT 96 ceiling loudspeaker	15,79	19	19	18
		* quantity pricing from 300, 500 en 1000 pcs on request				
		<u>WALL LOUDSPEAKERS</u>				
13339	WL 90	wall loudspeaker white 6W/100V	38,95	46	47	45
13288	WL 90 R	wall loudspeaker white 6W/100V + volumecontrol sec.	57,89	69	70	67
13284	WL 90 RP	wall loudspeaker white 6W/100V + volumecontrol + relais	75,79	90	92	87
		<u>SOUND PROJECTORS (OUTDOOR)</u>				
13771	SP 20 *	sound projector, weatherproof	44,21	53	53	51
13611	SP 20 D	sound projector dual weatherproof	56,84	68	69	65
		<u>HOORN LOUDSPEAKERS</u>				
	DL 800/10T	hornloudspeaker 10W/100V outdoor use	36,84	44	45	42
13767	DL 800/15T	hornloudspeaker 15W/100V outdoor use	43,16	51	52	50
	DL 800/25T	hornloudspeaker 25W/100V outdoor use	52,63	63	64	61
13601	DL 800/30T	hornloudspeaker 30W/100V outdoor use	57,89	69	70	67
13287	FE 20 T #	compact monitor white coulored 30W/100V	97,72	116	118	112
		<u>VOLUMECONTROLLER & ACCESOIRES</u>				
13494	L 414	volume control, 6W/100V without covering plate / mounting frame, separately to be ordered from Jung	36,84	44	45	42
13610	L 414 SR	volume control, 6W/100V with program selector and relay, without separately plate / mounting frame, seperately to be ordered from Jung	78,95	94	96	91
13525	L 4100	volume control, 100W/100V without covering plate / mounting frame, separately to be ordered from Jung	103,16	123	125	119
13524	L 4100 SR	volume control, 100W/100V with program selector and relay, without covering plate / mounting frame, separately to be ordered from Jung	142,11	169	172	163
13332	90192	priority relay for volume controls	13,68	16	17	16
13321	LD 301 #	mounting frame for L 314	10,32	12	12	12
		<u>100 V TRANSFORMERS</u>				
	A 10	universele 100V/10W aanpasingsfrafo	131,58	157	159	151
	DCN 348	100V aanpassingstrafo voor dovenlus 20W	96,84	115	117	111
13431	DCN 349	100V aanpassingstrafo voor dovenlus 50W	189,47	225	229	218
		<u>D-LITE SERIES FOR OUTDOOR USE</u>				

13764	D 12T	12" 2-Way Fullrange Cab. PUR, black, 300-150-75W/100Volt version, with PG cable	968,42	1.152	1.172	1.114
	D 12TW	12" 2-Way Fullrange Cab. PUR, white, 300-150-75W/100Volt version, weatherproof with PG cable	1.034,74	1.231	1.252	1.190
	D 12R	12" 2-Way Fullrange Cab. PUR, black, 1200 W / 300 W, 8 Ohms, with PG cable	684,21	814	828	787
	D 12RW	12" 2-Way Fullrange Cab. PUR, white, 1200 W / 300 W, 8 Ohms, weatherproof with PG cable	768,42	914	930	884
		<u>ACCESSOIRES D-LITE SERIES</u>				
13549	SH-D12	Dust-Cover for D 12, D 12T, D 12-3, PVC	33,61	40	41	39
13615	MB 112	Eyebolt-Set M8 for D 12, D 12-3 (3 pcs)	22,12	26	27	25
13558	MB 212	U-Mounting Bracket for D 12, D 12-3, black, Wall / Ceiling	57,49	68	70	66
13579	MB 212 W	U-Mounting Bracket for D 12, D 12-3, white, Wall / Ceiling	57,49	68	70	66
13585	MB 200 UMH	Mounting Bracket for D 12, D 12T, D 12-3, for TMA & RMA	89,34	106	108	103
13664	FB-TV	TV Spigot for Flying-Brackets + PM-TV or TC-TV	43,79	52	53	50
13609	TC-TV	Truss Clamp > TV Spud, 2" Truss, Adapter	135,34	161	164	156
	PM-TV	Pole Mount > TV Spud, Pole Mount, Adapter	38,92	46	47	45
13388	TMA	Tilt angle for MB 200 UMH 5° - 45°	73,42	87	89	84
13435	RMA	Rotor-Plate for MB 200 UMH	64,57	77	78	74
	RMA W	Rotor-Plate for MB 200 UMH white	64,57	77	78	74
20520	WMK 10	Rotatable Wall-Mount-Kit, black (omnimount 10 kg) = K&M 24470	90,22	107	109	104
13671	WMK 10W	Rotatable Wall-Mount-Kit, white (omnimount 10 kg) = K&M 24470	90,22	107	109	104
		<u>XA 2 SYSTEMS</u>				
13492	FX 12	12" / 1,4" Coaxial Conical Horn, 80°x40°, 700 W / 350 W, 8 Ohms	2.036,53	2.423	2.464	2.342
13493	FX 20	1x 18" Planar Waveguide Basshorn, 1200 W / 600 W, 8 Ohms	1.605,88	1.911	1.943	1.847
13491	Xa 4000	Dual Channel, active 2-way, Class-H, Amplifier, Switch Mode Power Supply, 900 W TOP, 1100 W SUB	1.730,65	2.059	2.094	1.990
		<u>CXM COAXIAL MONITOR SERIES</u>				
13742	CXM 15	Monitor speaker 15"/ 1,4" coaxial 450W/RMS 102dB/1W/1Mtr	1.679,78	1.999	2.033	1.932
	CXM 15 W	Monitor speaker 15"/ 1,4" coaxial 450W/RMS 102dB/1W/1Mtr White	1.679,78	1.999	2.033	1.932
	FB-CXM 15	Flying Bracket for CXM, prepared for : FB-TV, PCL M10, TC-02	125,26	149	152	144
		<u>ALPHA CONCEPT SERIES</u>				
13237	ALPHA X-1 90°	3-Way Speaker System (90°), Horn Loaded, Active Operation	4.997,79	5.947	6.047	5.747
13056	ALPHA X-1 60°	3-Way Speaker System (60°), Horn Loaded, Active Operation	4.997,79	5.947	6.047	5.747
13381	ALPHA V-1 90°	3-Way Speaker System (90°), Horn Loaded, Active Operation	4.228,22	5.032	5.116	4.862
13382	ALPHA V-1 60°	3-Way Speaker System (60°), Horn Loaded, Active Operation	4.228,22	5.032	5.116	4.862
13229	ALPHA B3	2 x 18" Planar Waveguide Horn System, 2000W/1000W, 4 Ohms	3.626,72	4.316	4.388	4.171
13383	ALPHA B6	18" Horn System Subwoofer, 1000 W/ 500W, 8 Ohms	3.343,65	3.979	4.046	3.845
		<u>POWERED SPEAKER CABINETS</u>				
		<u>MADRAS SERIES</u>				
13461	M 15 #	Active 2-Way High Efficiency Cabinet, 650 W, 1x15" / 3" (Diaphragm)	2.901,37	3.453	3.511	3.337
13462	M 18 #	High Efficiency Active Subwoofer, 1 x 800 W, 1x 18"	2.485,62	2.958	3.008	2.858
13474	M 212 #	Active 2-Way High Efficiency Cabinet, 650 W, 2x12" / 3" (Diaphragm)	3.405,57	4.053	4.121	3.916
		<u>MADRAS ACCESSOIRES</u>				
	PC 150	PowerCon > PowerCon, Link Cable, 1,5 m	39,81	47	48	46
	PC 800	PowerCon > PowerCon, Link Cable, 8,0 m	69,00	82	83	79
13479	PCS 500	PowerCon > Schuko Mains Cable, 5,0 m	55,73	66	67	64
13755	RK-4	Rigging-Kit Strap to Truss	130,92	156	158	151
13609	TC-TV	Truss Clamp > TV Spud, 2" Truss, Adapter	135,34	161	164	156
	PM-TV	Pole Mount > TV Spud, Pole Mount, Adapter	38,92	46	47	45
		<u>ACCESSOIRES</u>				
13231	PSS 415	Speakon-Speakon Cable, 4 x 2.5 mm ² , 15m	78,15	93	95	90
13236	PSS 404	Speakon-Speakon Cable, 4 x 2.5 mm ² , 4m	37,82	45	46	43
13350	PSS 408	Speakon-Speakon Cable, 4 x 2.5 mm ² , 8m	54,62	65	66	63
13117	PCL 880	Pole SUB to TOP M20, 880 mm	22,12	26	27	25
13322	PCL 180	Pole SUB to SUB M20, 150 mm	4,81	6	6	6
13556	FG 600	Flying Grid, TÜV approval, for COBRA & FX 12	654,58	779	792	753